G R , 5]

GENERAL AND REVENUE SECRETARIAT

1908-09
(Municipal)

File No. 2407

Serial Nos. 2, 3, 5, 6, 9 & 10

Papers Filed.

Month June 1908

SUBJECT

Improvement of Uppankatte at Salipuram.

PREVIOUS REFERENCES

LATER REFERENCES

G.R.S 11] 1907.8

GENERAL AND REVENUE SECRETARIAT

Municipal

NOTES.

No. 240

FILE HEADING

Improvement of Appurkatte at Saleyram

From S C Chowappayya and others, residents of Saleyram Municipality, Petitioners

No Petn Dated 30/12/07 Received 8/1/1908

Diary No. 4736	Enclos	Spare Copies	Serial No 2

BRIEF ABSTRACT OF LETTER.

Pray that, for reasons given, a new reservoir for the supply of drinking water to Saleyram be ordered to be constructed in Sur Nos 87 & 88 in preference to repairing the Appurkatte at Saleyram

NOTES AND ORDERS

Br IV

May perhaps be sent to C & D

(Sd) C S B

8/1/08

The petitioners request that

Notes—First sheet.

GPS—30/(7)—20-3-06

G R S. 12]
General and Revenue Secretariat.

Ind File No. 240 of 1907

Serial No.

that the estimate amounting to Rs 7,000/ sanctioned for repairs repairing the Jeppar. Katte may not be worked out that a new one reservoir be ordered to be constructed. Please see paras 5 & 7 of the petition. The townspeople have contributed Rs 2,000/ for improving the town tank. Instead of transferring the petition to the P.W.D, the petition may be forwarded to the Chief Engineer for report.

Submitted for orders (with draft Off Memo)

Done HB 15/1/08

C H C Sng
10/1/1908

3 To the Chief Engineer of Improvements & 20.1.08. Forwards serial No 2 for report.

5 From Venkatacubbaya and others, residents of Salagram, Kolar Dt stating that the inhabitants of the [illegible] the Cantonment [illegible]

[illegible] – Contd sheet.

G R S. 12]
General and Revenue Secretariat.

Municipal File No. 2100 of 1907-08

Serial No.	
	new reservoirs instead of the repairing of the Uppara kalle tank in the G.O. No 8616-8-L-13 Ms-6-98 the 21st March, 1907, because they did not succeed in getting the tenders for themselves and request that the repairs of the said kalle already ordered may be carried out.
	Send with Staff Surveyor's the petition to the Chief Engr. in Contemplation of G.O.
	Done 13-1-08
	13/1/08
6	To the Chief Engr No 9517/B 21-3-08 Returned for report the petition referred above in continuation of the Serial No. 3
9	From the Chief Engineer No 3661/B 30-6 With reference to Serial 3 and 6, I have the honour to forward herewith Executive Engineer's No. 2521/B 21st May 1908 submitting a fresh estimate amounting to Rs 11,712/- for Constructing a new reservoir to irrigate 3 acres of the first portion of D.No. 1 ...

Over – Continued.

G R S. 12]
General and Revenue Secretariat.

2nd File No. 241 of 1907

4

Serial No.

and stating that for reasons given
the estimate has not been considered
the Executive Engineer has been asked
proceed with the work on the sanctioned
estimate of Rs 7007.

Submitted (with draft endorsement to
the petitioners) to the Hon. Councillor.

23
13/6/08

7175
14.6.08

Draft approved
Hon. Mr. Ojha

23
27/6/08

To Endorsement No. 83 dt 3.7.08
to the Petitioners

Informing them that
in Consultation with the
Dy Commissioner Mymensingh
& the Executive Engineer
it has been decided to [illegible]
the present upparkata

Note—Contd. sheet.

D4736 1

Ref 240-07

8C 2

Name of petr. S G Bhimappa & Others residents of the Saligram Municipality, Kapu Dt.

Date of petn 30.12.07

Date of receipt 8.1.08

Encls Nil.

Abstract

Prays that for reasons given a new reservoir for the supply of water to Saligram may be ordered to be constructed in Sy nos 81 & 82 in preference to repairing the present Uppankatte.

HBG
10/1/08

G.R.S 34]

No

GOVERNMENT OF H H THE MAHARAJA OF MYSORE.

General and Revenue Secretariat.

( )

Office Memorandum.

To

the 20 1 190

The Chief Engineer of Mysore

The accompanying Petn Regd No 4736 of 30th Dec (1906) received from S/o Cheemappayya & others, residents of the Salegrama Hemmiyapalli praying that a new reservoir for the supply of drinking water to the Salegrama town may be ordered to be built instead of repairing the existing Uppar Katte, is forwarded to the Chief Engineer of Mysore for report

By order

MGCPB—5,000—4-3-07

C D 6487

Irrl 240-07

SL 5

Name of Petn - Venkal Swamy
- Anja & others.
Residents of the
Salegram Mutt

Date of Petn "

Date of receipt 7.1.08.

Enclosures - Nil

Abstract

Pray that the repairs
of the upper dam to the
Cauvery authorised
may be ordered to be
carried out instead
of ordering the construction
of a new reservoir
as prayed for by some
of the Irrl. members
of the

(F R S. 26]

File No

Serial No

Diary No. of letter replied to 9517

9517

No. 9517
ml 240-07-6
M 2-1-308

General and Revenue Secretariat

( )

, the 190

To

Office Memorandum

Date of issue 21.3.08

Signed by Member

The accompanying petition without date, registered as 6148, from Venkata Subbiya and others, residents of the Jaligram Muncipality praying that the repairs of the Appanakatte anicut ordered may be carried out instead of constructing a separate reservoir as applied for by some of the inhabitants of the Jaligram Municipality is forwarded to the Chief

over.

SUBJECT

of Impose 5th Centy
of Mint Office No 69/02
Mint (240-07)-3 dated
the 20th January, 1908

By order

[illegible] 8/3/08

for Secy

[illegible]

13/3/08

One copy

List of enclosures.

Copied by [illegible] 13/3

Examined by [illegible]

MGOPB—30,000—16-2-08

6 Mlz40-1 8 9

Mysore Public Works Department,

No. 3661/E3 Upakaras Copy

Central Office,

Dated Bangalore, 30th May 1908

P 90 66

From,

W. Mc Hutchin Esquire I C E

Chief Engineer of Mysore,

BANGALORE

To,

C.S.Balasundaram Iyer Esquire, B.A.,

Secretary to the Government

of His Highness the Maharaja of Mysore,

General and Revenue Departments,

BANGALORE

Sir,

With reference to your Memo No 6902/Jrl 240-07-3 of the 20th January last, forwarding for report a petition received from Chennapaiya and other residents of Saligram praying that a new reservoir for the supply of drinking water to their town be ordered to be built instead of repairing the existing Upparkatte, also another petition from Venkatasubbiah and others, received with your No 9517/Jrl 240-07-6 of the 21st March last opposing the above proposal, I have the honor to forward for your information, the enclosed copy of Western Circle, Superintending Engineer's No. 2521 of the 21st instant with which a fresh estimate amounting to Rs 11,712 has been submitted for constructing a new reservoir. For reasons therein given the above estimate has not been considered and the Executive Engineer has been ordered to proceed with the work on the sanctioned estimate of Rs 7,000

2 The petitions are herewith returned

I have the honor to be,

Sir,

Your most obedient servant

J Hutchin Capt. R.E.

Chief Engineer of Mysore

7

Docket No 2522 dated 21st May 1908, from the Superintending Engineer, Western Circle, to the Chief Engineer of Mysore.

Chief Engineer's No 2122 of the 26th March 1908, requesting the early submission of the estimate for a new katte at the place chosen by the inhabitants of Saligram for water supply &c

---

In compliance with the above, has the honor to submit herewith plans and estimate amounting to Rs 11,712 for the above work for orders

2. The Deputy Commissioner is in favour of improving the present Upparkatta for reasons given below and which are advanced by the Executive Engineer

(1) The construction of a new pond will involve an excess of Rs. 5,000 over the sanctioned estimate.

(2) It is farther from the village than the present pond and has to be reached after crossing the Chamaraja Channel through a bridge to be constructed

(3) Draining it for the repairs and cleaning is difficult as the draft will be long and will get choked up and in places

(4) On north, east and south sides of the proposed new pond there will be wet and garden lands highly manured and cultivated The water from a pond situated amidst cultivation must be unwholesome for domestic consumption

3. For reasons noted above the undersigned thinks the improvement of the old katte is advisable Apparently there appears to be conflicting elements in the village and hence unnecessary petitioning

4. The file of correspondence on the subject and, with

Deputy Commissioner's No. 3742 of 30-4-1908 is also submitted for kind perusal and obliging return. The sanctioned plans and estimates for improving the present pond are enclosed for reference

****

" True Copy

Captain R.E.,
Deputy Chief Engineer of Mysore.



To

V P Madhava Rao Esq
Dewan of Mysore
Bangalore

For IV
may perhaps be
sent to pwd
4/11/05

Honoured Sir

We the inhabitants of Salagrama in the Yelandur Taluk beg to approach your honour through this humble petition to represent our grievances due to the want of good drinking water during five months in the year. The only source of water for public use is the Chamaraj-channel. This being closed from January to June a small reservoir-Hyderkatte is made to hold a monthly supply from the channel. This being too small can hardly contain water for half a month. In response to our frequent prayers to relieve us from this difficulty during Summer months the benign Govt was pleased to sanction a sum of about Rs 7000/- for the improvement of the said Katte; Rs 2000/- was subscribed for by the people and the remaining amount was paid from the local and municipal funds. The project has now been in the hands of the Engineering dept. As usual this dept called for tenders from the contractors for the execution of the work and the lowest bidder was given the chance of working it. The contractor has agreed to complete the work at a discount of about 18 % below the estimated cost.

2 Now we beg to represent that for reasons given below the work can never be satisfactory, and there can be no comfort to the people.

3 It is not possible for the contractor to work at such a low rate as 18 % discount referred to above. He has already incurred unnecessary double charges to meet the Rs. 15 %. So all the other expenses

the honoured

SECRETARY'S OFFICE
REG'D N.
25 MAR 1908
LEICESTER P.W. LIFT

I

II

III



No 2376 dt 1-4-08

Forwarded to the Supdg Engr
to the
Madam Estate in continuation of
office no 2128 of the 26th ult
with a request that he will
kindly intimate early as to
definite settled rent & co
sultation with the Deputy Co
as otherwise the allotment of
already sanctioned will ca

Secy
1/4/08

Supdg Engr
Engrs
B/H

for Chief Engr
of Mysore

16

83
ml240-07-10
dt 3.7.08

Endorsement granted in reply to the petitions received from (1) Ramappaiya and other residents of Saligram praying that a new reservoir for the supply of drinking water to Saligram be ordered to be constructed in Survey Nos 81 and 82 in preference to repairing the Uppar Katte at Saligram (Regd No 4736 dated 30-12-07) (2) Venkatasubbaiya and others of Saligram protesting against the construction of a new reservoir. (Regd No 6457 dated 7-3-08)

The Petitioners are informed that in consultation with the Dy Commr of the Lepora district and the Executive Engineer, it has been decided to improve the present Uppar Kattle.

By order
BR 13/6/08
for Secretary
9.7.08

copies sent 9/6 Asst Engr dtd 9/6